

Subject Index to Volume 50 (2012)

	No.	Page		No.	Page
A					
Ageing	3	172–179		2	142–146
Air pollution	5	450–457	Chromate	2	95–102
Air quality	6	548–555	Chromium	2	95–102
Airborne microorganism	6	548–555	Chronic disease	3	172–179
Air-curtain fume hood	2	103–114	Climate change	4	267–278
Aluminium-maltolate	5	428–436	Co-activation	4	307–315
Asbestos	3	197–204	Cohort study	5	377–387
Asbestosis	4	299–306	Cold exposure	4	307–315
Assertion	6	487–498	Comfort	5	354–369
Australia	3	172–179	Computational models	5	343–353
Autonomic nervous system	1	24–30	Consultation	2	80–83
B			Coping resources	4	279–287
Backrest	1	37–51	Cortisol	6	476–486
BALF	1	31–36	CROM	6	509–515
Behavioral approach	1	52–59	Cumulative total dust	3	214–222
	2	123–131	Current situations and challenges	2	73–79
Biodynamic response	5	412–424	Cyclone	5	450–457
Biodynamics	1	37–51	D		
Biological risk	4	326–337	Demand-Control-Support Questionnaire	6	467–475
Biological safety	6	548–555	Dentists	5	437–444
Biological waste containers	6	548–555	Diseases	4	261–266
Blood exposure	6	521–528	Driving	6	499–508
Blood pressure	3	205–213	Dual-axis excitation	1	37–51
	6	529–539	E		
Breathing zone	3	236–238	EC	2	147–155
Bright light	3	189–196	Education	4	253–260
Bronchial hyper-responsiveness	6	516–520	EMG	4	307–315
Bullying	3	180–188	Emotion	3	189–196
Burnout	4	279–287	Employee	5	458–462
C			Employee assistance program	4	322–325
C reactive protein	2	95–102	Employer	5	458–462
Cancer	3	172–179	Employment contract	3	223–235
Cardiovascular disease	6	529–539	Enforcement	2	80–83
Cause and Effect Model	6	567–574		4	261–266
Cement dust	1	64–68	Environmental tobacco smoke	6	516–520
	3	214–222	Epidemiology	5	437–444
Cervical FRR	6	509–515		6	521–528
Chemical substance	4	253–260	Excessive daytime sleepiness	6	499–508
Chest X-ray	2	84–94	Exhaled breath condensate	4	299–306
			Exposure	3	197–204

	No.	Page		No.	Page
	3	236–238	Health behavior	6	529–539
Exposure assessment	1	64–68	Health examinations	3	223–235
Exposure-response models	5	397–411	Health personnel	5	437–444
Exposure-response relationship	5	377–387	Heart rate	6	556–566
F			Heart rate variability	1	24–30
Fabrication	2	147–155	Heat stress	4	267–278
Factor analysis	2	142–146	High temperature operation	2	103–114
Fatal Accidents	6	567–574	Hippocampus	5	428–436
Fatal injury	1	12–16	Home nursing	6	521–528
Fitness to drive	6	499–508	Hot and humid environment	6	556–566
Flow	3	189–196	HPA-axis	6	476–486
Flow visualization	2	103–114	HTV	5	388–396
Forecasting Method	6	567–574		5	425–427
Frequency	5	343–353	Human resources	4	253–260
Frequency dependency	5	412–424	Hypertension	3	205–213
Frequency weighting	5	388–396	I		
	5	397–411	ILO Classification	2	84–94
	5	412–424		2	142–146
	5	425–427	Incidence rate	5	437–444
Frequency weightings	5	377–387	India	3	167–171
G			Indium	4	253–260
Garbage collectors	6	556–566	Indoor	4	267–278
Gender	3	180–188	Industrial Accident Prevention	6	567–574
Grinders	2	156–163	Inflammation	1	60–63
Guidance	2	80–83	Information	4	261–266
H			Information sources	3	239–249
Hand	5	354–369	Information-seeking behavior	3	239–249
Hand-arm vibration	5	370–376	Injuries	4	261–266
	5	412–424		5	445–449
Hand-arm vibration syndrome	2	156–163	Insomnia	6	499–508
	5	343–353	Instillation	1	31–36
	5	388–396	Integrated collectors	5	450–457
	5	425–427	Interaction	2	115–122
Hand-transmitted vibration	5	377–387	Intermittent work	4	307–315
	5	388–396	Interpersonal behavior	6	487–498
	5	412–424	Intervention	6	487–498
	5	425–427	Intra-individual variation	1	60–63
HAV	5	388–396	ISO 5349	5	388–396
	5	425–427		5	397–411
HAVS	5	388–396		5	425–427
	5	425–427	ISO standards	5	377–387
Hazardous gases	6	540–547	J		
Health and safety	4	261–266	Japan	4	322–325
Health and wellbeing	4	261–266		6	467–475

	No.	Page
Japanese hospital staffs	6	487–498
Job Demand-Control-Support model	6	467–475
Job discretion	2	132–141
Job performance	4	316–321
Job stress	2	132–141
K		
Korea	1	12–16
	5	458–462
Korean workers	2	115–122
L		
LC-ESI-MS/MS	4	299–306
Learning and memory	5	428–436
Leukemia	1	12–16
Leukotrienes	4	299–306
Life satisfaction	4	316–321
Long-term potentiation	5	428–436
Low back pain	4	288–298
Lung fibrosis	4	299–306
Lung surfactant	1	31–36
M		
Manual workers	2	115–122
Measurement error	1	60–63
Medical professionals	4	279–287
Mental health	4	253–260
	4	322–325
Mesothelioma	3	197–204
Metabolic syndrome	2	115–122
Migrant workers	2	73–79
Misclassification	1	60–63
Moisture content	6	540–547
Mortality	3	197–204
Multiwalled carbon nanotube	2	147–155
Municipal merger	2	132–141
Musculoskeletal	3	172–179
MWCNT	2	147–155
N		
Nap	3	189–196
Narcolepsy	6	499–508
National survey	3	223–235
Neuromuscular efficiency	4	307–315
Nickel oxide	1	31–36
NIOSH	2	80–83
Noise	3	205–213
Nurses	1	24–30

	No.	Page
O		
Occupational	3	205–213
Occupational accident rate	1	12–16
Occupational class	6	529–539
Occupational disease	1	12–16
	2	73–79
Occupational exposure	6	521–528
Occupational hazards	2	73–79
Occupational health	2	73–79
	4	261–266
	4	322–325
Occupational health and safety	5	445–449
Occupational injury	3	172–179
Occupational medicine	4	326–337
Occupational safety and health	3	167–171
	3	239–249
	4	253–260
OSH challenges	3	167–171
OSH legislation	3	167–171
OSH needs	3	167–171
OSH organization in India	3	167–171
OSH policy	3	167–171
OSHA	2	80–83
Ottawa workshop	5	425–427
Outdoor	4	267–278
Outpatient visit	5	437–444
Overhead work	6	509–515
Overwork	1	17–23
P		
Paddy	6	540–547
Perception	5	354–369
Peripheral white blood cells count	2	95–102
Personal sampling	3	236–238
Personal strain	4	279–287
Physical complaints	4	316–321
Physicians	5	437–444
Physiological workload	6	556–566
Pittsburgh Sleep Quality Index	1	52–59
Plasma	4	299–306
Pneumoconiosis	2	84–94
	2	142–146
Police	6	476–486
Policy development	1	7–11
Precarious workers	3	223–235

	No.	Page		No.	Page
Predictors	4	288–298	Scrubber	5	450–457
Pressure pain	6	509–515	Seep hygiene education	2	123–131
Prevention and control	2	73–79	Seep restriction	2	123–131
Prevention Factors and Strategies	6	567–574	SEGs	1	64–68
Prevention through design	2	80–83	Self-concept	2	132–141
Priority Matrix Criterion	6	567–574	Self-employed	5	458–462
Prognosis	4	288–298	Self-rated health	3	223–235
Prospective cohort study	4	288–298	SEM	2	147–155
Prostate specific antigen	2	95–102		4	279–287
Psychological distress	3	223–235	Semiconductor	1	12–16
	4	316–321	Sensitivity	2	84–94
Psychological stress	3	180–188		2	142–146
Psychosocial work environment	6	467–475	Sensorineural dysfunction	5	343–353
R			Shift work	1	24–30
Randomized controlled trial	1	52–59		1	60–63
	2	123–131		3	205–213
Rat	1	31–36		6	476–486
	5	428–436	Shipyards	2	156–163
Rat models	5	343–353	Shoulder pain	6	509–515
Recognition	1	17–23	Sickness absence	4	288–298
Regulation	4	253–260	Silicosis	4	299–306
Relative risk	5	397–411	Sleep	1	24–30
Relaxation	6	487–498	Sleep apnea	6	499–508
Relaxation training	2	123–131	Sleep hygiene education	1	52–59
Reliability	6	467–475	Sleepiness	3	189–196
Repetitive work	4	307–315	Small-scale enterprise	4	322–325
Research	4	253–260	Small-scale enterprises	6	529–539
	4	261–266	Smoking	3	223–235
Research priorities	1	7–11	Social support	2	132–141
Resources	4	288–298	Socio-cultural structure	2	115–122
Respiratory function	6	516–520	Socioeconomic status	6	529–539
Respiratory protection equipment	3	214–222	SPE	4	299–306
Respiratory symptoms	3	214–222	Specificity	2	84–94
Rice mill	6	540–547		2	142–146
Risk assessment	4	326–337	Standards	2	80–83
Risk factor	6	529–539		4	261–266
Risk factors	4	288–298	Sterilization	6	548–555
	5	445–449	Stimulus control	2	123–131
Risk function	3	197–204	Stress management	6	487–498
Risk perception	4	326–337	Student employees	5	445–449
Risk prevention	5	370–376	Surveys	6	521–528
Risk-based management	4	253–260	Syndrome	5	354–369
S			T		
Saliva	6	476–486	TEM	2	147–155

	No.	Page
Tracer-gas test	2	103–114
Tropical environment	2	156–163
U		
Underground pit	6	540–547
United Arab Emirates	3	214–222
Urine	4	299–306
V		
Validity	6	467–475
Variance components	1	64–68
Vascular	5	354–369
Vascular dysfunction	5	343–353
Vehicles	3	172–179
Venturi	5	450–457
Vibrating tools	2	156–163
Vibration	5	354–369
Vibration exposure	5	370–376
Vibration white finger	5	397–411
Vibration-induced white finger	5	354–369
	5	377–387
Vulnerable workers	1	12–16
W		
Waking	6	476–486

	No.	Page
WBGT	4	267–278
Weather data	4	267–278
Wellbeing	1	7–11
W_h	5	388–396
	5	425–427
Work engagement	4	316–321
Work organisation	3	180–188
Work stressor	4	279–287
Workaholism	4	316–321
Worker	1	52–59
	2	123–131
Worker safety and health	2	80–83
Workers	3	239–249
Working conditions survey	5	458–462
Working hours	5	458–462
Workplace	4	267–278
Workplaces	4	326–337
Work-related cerebrovascular and cardiovascular diseases (WR-CVDs)	1	17–23